

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

September 15, 2008

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Automated Test System For Testing An Application  
Running In A Windows-Based Environment And Related Methods*  
Application No. 10/799,904; Filed March 12, 2004  
Patent No. 7,398,469; Issued July 8, 2008  
Our File 018360/274115


---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent in accordance with 37 C.F.R. §1.323. This request is made in order to correct the mistakes incurred by Applicant(s).

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith. The \$100.00 fee was paid during e-filing.

Respectfully submitted,



Christopher S. Haggerty  
Registration No. 58,100

CSH:mf  
Enclosure

LEGAL02/30932719v1

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,398,469 B2

Page 1 of 1

APPLICATION NO. : 10/799,904

ISSUE DATE : July 8, 2008

INVENTOR(S) : Kisamore et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page,

Item (73), Assignee, "**United Parcel of America, Inc.**" should read --**United Parcel Service of America, Inc.**--.

Column 18,

Lines 44 and 46, cancel "the".

Line 49, "sai" should read --said--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000